



# A 84 HINGED SYSTEM - PVC

## ENERGY EFFICIENCY

### Transmittance

$U_w$  from 0,79 (W/m<sup>2</sup>K)

Please consult typology, dimensions and glass

## ACCOUSTIC INSULATION

Maximum glazing: 54 mm.

Maximum accoustic insulation:  $R_w = 46$  dB.

## CATEGORIES ACHIEVED AT TEST CENTRE

Air permeability (EN 12207:2000):

Class 4

Water tightness (EN 12208:2000):

Class E1500

Wind resistance (EN 12210:2000):

Class C5

Reference test 1,23 x 1,48 m. 2 sashes

SECTIONS	Frame 84 mm Sash 84 mm	GASKETS	EPDM Triple GASKET
CLASSIFICATION	Profile Thickness Class A $\geq 2,8$ mm Weather Severe weather Impact Class II	OPENING POSSIBILITIES	
MAXIMUM DIMENSIONS	Door Width (L)= 450-1.300 mm Height (H)= 450-2.200 mm	OPEN IN	practicable, turn-tilt, parallel tilt, hinged.
	Balcony Width (L)= 450-1.300 mm Height (H)=600-2.200 mm	OPEN OUT	Practicable (Door)
MAXIMUM WEIGHT/SASH	dOOR Width (L)= 700-1.300 mm Height (H)=600-2.500 mm	FINISHES	Dual colour possibility White Smooth colours Imitation Wood effect
	100 Kg.		

Consultar peso y dimensiones máximas para el resto de tipologías.

