



# A 84 PASSIVHAUS - PVC

## ENERGY EFFICIENCY

### Transmittance

$U_w$  from 0,66 (W/m<sup>2</sup>K)

Please consult typology, dimensions and glass

## ACCOUSTIC INSULATION

Maximum glazing: **56 mm.**

Maximum accoustic insulation: **Rw = 46 dB.**

## CATEGORIES ACHIEVED AT TEST CENTRE

Air permeability (EN 12207:2000):

**Class 4**

Water tightness (EN 12208:2000):

**Class E1500**

Wind resistance (EN 12210:2000):

**Class C5**

Reference test 1,23 x 1,48 m. 2 sashes

|                            |  |                              |   |
|----------------------------|--|------------------------------|---|
| <b>SECTIONS</b>            | Frame 84 mm<br>Sash 84 mm  | <b>GASKETS</b>               | EPDM Triple GASKET  |
| <b>CLASSIFICATION</b>      | Profile Thickness<br>Class A $\geq 2,8$ mm<br>Weather<br>Severe weather<br>Impact<br>Class II                                | <b>OPENING POSSIBILITIES</b> | <b>OPEN IN</b> practicable, turn-tilt, parallel tilt, hinged.               |
| <b>MAXIMUM DIMENSIONS</b>  | Door<br>Width (L)= 450-1.300 mm<br>Height (H)= 450-2.200 mm<br>Balcony<br>Width (L)= 450-1.300 mm<br>Height (H)=600-2.200 mm | <b>FINISHES</b>              | Dual colour possibility<br>White<br>Smooth colours<br>Imitation Wood effect |
| <b>MAXIMUM WEIGHT/SASH</b> | 100 Kg.  |                              |   |

Consultar peso y dimensiones máximas para el resto de tipologías.

